

Verification code: 581111

Applicant : XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXChina**Sample Receiving Date** : 2022-11-03**Testing Period** : 2022-11-04 to 2022-11-08

Sample Description :

210D polyester(lime green, red,gray,orange,hunter green,white)
leather(black/ brown PU leather)
Transparent PVC
zipper(gray/black/Silver teeth zipper)
webbing(black/Gray)
elastic band
reflective silver tape with black base
mesh(black,gray,white)
airmesh(black/gray)
600D polyester (white/lime green/Red)
600D RPET High density Polyester with PU backing(drak gray)
420D PVC embossed fabric (420D polyester)(black/Gray)
HOOK & LOOP
zipper puller(black/Electric white)

Sample source : Customer delivery**Submitted Sample:**

S01210D polyester(lime green)



S02210D polyester(red)



Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司

ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100

厦门火炬高新区(翔安)产业区同龙二路 886 号

Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.comPlease visit www.stct-xm.com and enter customer service system to validate the test report.

The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.



S03210D polyester(gray)



S04210D polyester(orange)



S05210D polyester(hunter green)



S06210D polyester(white)



S07 black coating(black zipper puller[Ⓢ])



S08Leather(brown PU leather)



Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司


ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100

厦门火炬高新区(翔安)产业区同龙二路 886 号

Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.com

Please visit www.stct-xm.com and enter customer service system to validate the test report.


The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.



S09Transparent PVC



S10Zipper tape(gray)



S11Zipper teeth(gray)



S12Zipper tape(black)



S13Zipper teeth(black)



S14Zipper tape(black/silver zipper)



Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司

ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100

厦门火炬高新区(翔安)产业区同龙二路886号

Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.com

Please visit www.stct-xm.com and enter customer service system to validate the test report.

The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.



S15Zipper teeth(black/silver zipper)



S16Webbing(black)



S17Webbing(gray)



S18elastic band



S19Reflective silver tape with black base



S20Mesh(black)




Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司

ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100
厦门火炬高新区(翔安)产业区同龙二路 886 号

Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.com

Please visit www.stct-xm.com and enter customer service system to validate the test report.

The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.



S21Mesh(gray)



S22Mesh(white)




S23Airmesh(black)



S24Airmesh(gray)



S25600D polyester (white)



S26600D polyester (lime green)



Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司

ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100

厦门火炬高新区(翔安)产业区同龙二路886号

Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.com

Please visit www.stct-xm.com and enter customer service system to validate the test report.

The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.



S27600D polyester (Red)



S28600D RPET High density Polyester with PU backing(drak gray)



S29420D PVC embossed fabric (420D polyester/black)



S30420D PVC embossed fabric (420D polyester/Gray)



S31HOOK & LOOP(wide)



S32HOOK & LOOP



Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司

ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100
厦门火炬高新区(翔安)产业区同龙二路886号

Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.com

Please visit www.stct-xm.com and enter customer service system to validate the test report.

The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.



S33 Silver metal(silver zipper puller①)



S34 Silver metal(silver zipper puller②)



S35 Silver metal(black zipper puller⑤)



S36 Grey coating(grey zipper puller)



S37 Silver metal(black zipper puller①)



S38 black coating(black zipper puller①)



Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司

ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100
厦门火炬高新区(翔安)产业区同龙二路 886 号

Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.com

Please visit www.stct-xm.com and enter customer service system to validate the test report.

The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.



S39 Silver metal(black zipper puller②)



S40 black coating(black zipper puller②)



S41 Silver metal(black zipper puller③)



S42 black coating(black zipper puller③)



S43 Silver metal(black zipper puller④)



S44 black coating(black zipper puller④)

Tests Conducted: As requested by the applicant, for details refer to the following pages.



Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司

ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100
厦门火炬高新区(翔安)产业区同龙二路 886 号

Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.com

Please visit www.stct-xm.com and enter customer service system to validate the test report.

The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.

Summary of Test Result

Test Parameter	Composite/Individual Test Item(s)	Result(See Note 1)
Total lead(Pb) content in non-surface coating materials(Substrate)	S01+S02+S03 S04+S05+S06 S08 S09 S10+S12+S14 S11+S13+S15 S16+S17 S18+S19 S20+S21+S22 S23+S24 S25+S26+S27 S28 S29+S30 S31+S32 S33 S34 S37 S39 S41 S43 S35	Pass
Total Lead(Pb) content in paints and surface coatings	S36 S38 S40 S42 S44 S07	Pass
Phthalates	S01+S02+S03 S04+S05+S06 S08 S09 S10+S12+S14 S11+S13+S15 S16+S17 S18+S19 S20+S21+S22 S23+S24 S25+S26+S27 S28 S29+S30 S31+S32	Pass



Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司

ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100

厦门火炬高新区(翔安)产业区同龙二路 886 号

 Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.com

 Please visit www.stct-xm.com and enter customer service system to validate the test report.

The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.

- Note 1 :
- (1) "Pass": The test result is compliant with the client's specification.
 - (2) "Fail": The test result is not compliant with the client's specification.
 - (3) "Marginal": Due to measurement uncertainty, in the case of confidence probability of 95%, it could not be concluded that the test result complies with the client's specification. It indicates that the sample contained substance at a very high level. Acceptance of this item is at the discretion of client.
 - (4) "Separate test": The result of composite tests indicates that individual tests are necessary for assessment of compliance with the permissible limit.
 - (5) "—": NO specified requirement.

Note 2: This test report is supplement to test report STCT2204200.

Authorized By:

Daniel Lv
Technical Director



Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司

ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100

厦门火炬高新区(翔安)产业区同龙二路 886 号


Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.com

Please visit www.stct-xm.com and enter customer service system to validate the test report.

The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.

Testing Item(s) List

Test Item NO.	Sample Description
S01	210D polyester(lime green)
S02	210D polyester(red)
S03	210D polyester(gray)
S04	210D polyester(orange)
S05	210D polyester(hunter green)
S06	210D polyester(white)
S07	black coating(black zipper puller ^⑤)
S08	Leather(brown PU leather)
S09	Transparent PVC
S10	Zipper tape(gray)
S11	Zipper teeth(gray)
S12	Zipper tape(black)
S13	Zipper teeth(black)
S14	Zipper tape(black/silver zipper)
S15	Zipper teeth(black/silver zipper)
S16	Webbing(black)
S17	Webbing(gray)
S18	elastic band
S19	Reflective silver tape with black base
S20	Mesh(black)
S21	Mesh(gray)
S22	Mesh(white)
S23	Airmesh(black)
S24	Airmesh(gray)
S25	600D polyester (white)
S26	600D polyester (lime green)
S27	600D polyester (Red)
S28	600D RPET High density Polyester with PU backing(drak gray)
S29	420D PVC embossed fabric (420D polyester/black)



Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司

ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100

厦门火炬高新区(翔安)产业区同龙二路886号

 Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.com

 Please visit www.stct-xm.com and enter customer service system to validate the test report.

The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.

S30	420D PVC embossed fabric (420D polyester/Gray)
S31	HOOK & LOOP(wide)
S32	HOOK & LOOP
S33	Silver metal(silver zipper puller①)
S34	Silver metal(silver zipper puller②)
S35	Silver metal(black zipper puller⑤)
S36	Grey coating(grey zipper puller)
S37	Silver metal(black zipper puller①)
S38	black coating(black zipper puller①)
S39	Silver metal(black zipper puller②)
S40	black coating(black zipper puller②)
S41	Silver metal(black zipper puller③)
S42	black coating(black zipper puller③)
S43	Silver metal(black zipper puller④)
S44	black coating(black zipper puller④)

Tests Conducted (As Requested By the Applicant)

1. Total lead(Pb) content in non-surface coating materials(Substrate)

Test Method	:	U.S.A. Consumer Product Safety Improvement Act of 2008 (H.R.4040), CPSC-CH-E1002-08.3and/or CPSC-CH-E1001-08.3, determination by ICP-OES(MDL=10 mg/kg).
Client's Specification	:	<90 mg/kg

Composite/Individual Test Item(s)	Result(mg/kg)	Conclusion
S01+S02+S03	N	Pass
S04+S05+S06	N	Pass
S08	N	Pass
S09	N	Pass
S10+S12+S14	N	Pass
S11+S13+S15	N	Pass
S16+S17	N	Pass
S18+S19	N	Pass



Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司

 ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100
 厦门火炬高新区(翔安)产业区同龙二路886号

 Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.com

 Please visit www.stct-xm.com and enter customer service system to validate the test report.

The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.

Composite/Individual Test Item(s)	Result(mg/kg)	Conclusion
S20+S21+S22	N	Pass
S23+S24	N	Pass
S25+S26+S27	N	Pass
S28	N	Pass
S29+S30	N	Pass
S31+S32	N	Pass
S33	40	Pass
S34	58	Pass
S37	36	Pass
S39	44	Pass
S41	25	Pass
S43	46	Pass
S35	55	Pass

Note:

(1) mg/kg=ppm=0.0001%(w/w); 0.1%(w/w)=1000 mg/kg

(2) MDL=Method Detection Limit; N=Not Detected(<MDL)

2. Total Lead(Pb) content in paints and surface coatings

Test Method : U.S.A. Consumer Product Safety Improvement Act of 2008
(H.R.4040), CPSC-CH-E1003-09.1, determination by
ICP-OES(MDL=10 mg/kg).

Client's Specification : <90 mg/kg

Composite/Individual Test Item(s)	Result(mg/kg)	Conclusion
S36	N	Pass
S38	N	Pass
S40	N	Pass
S42	N	Pass
S44	N	Pass
S07	N	Pass

Note:

(1) mg/kg=ppm=0.0001%(w/w); 0.1%(w/w)=1000 mg/kg

(2) MDL=Method Detection Limit; N=Not Detected(<MDL)



Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司

ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100

厦门火炬高新区(翔安)产业区同龙二路886号

Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.comPlease visit www.stct-xm.com and enter customer service system to validate the test report.

The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.

3. Phthalates

Test Method : With reference to CPSC-CH-C1001-09.4, solvent extraction with THF and determination by GC-MS.

Client's Specification : 9 phthalates, per phthalate<1000 mg/kg

Test Parameter	Cas No.	MDL (mg/kg)	Result(mg/kg)		
			S01+ S02+ S03	S04+ S05+ S06	S08
Di-n-butylphthalate(DBP)	84-74-2	50	N	N	N
Benzylbutylphthalate(BBP)	85-68-7	50	N	N	N
Diethylhexylphthalate(DEHP)	117-81-7	50	N	N	N
Diisononylphthalate(DINP)	28553-12-0/ 68515-48-0	50	N	N	N
Diisodecylphthalate(DIDP)	26761-40-0/ 68515-49-1	50	N	N	N
Diisobutylphthalate(DIBP)	84-69-5	50	N	N	N
Di-n-hexylphthalate(DnHP/DHEX P/DHP)	84-75-3	50	N	N	N
Dipentylphthalate(DPP/DPENP)	131-18-0	50	N	N	N
Dicyclohexylphthalate(DCHP)	84-61-7	50	N	N	N
Conclusion			Pass	Pass	Pass

Test Parameter	Cas No.	MDL (mg/kg)	Result(mg/kg)			
			S09	S10+ S12+ S14	S11+ S13+ S15	S16+ S17
Di-n-butylphthalate(DBP)	84-74-2	50	N	N	N	N
Benzylbutylphthalate(BBP)	85-68-7	50	N	N	N	N
Diethylhexylphthalate(DEHP)	117-81-7	50	N	N	N	N
Diisononylphthalate(DINP)	28553-12-0/ 68515-48-0	50	N	N	N	N
Diisodecylphthalate(DIDP)	26761-40-0/ 68515-49-1	50	N	N	N	N
Diisobutylphthalate(DIBP)	84-69-5	50	N	N	N	N
Di-n-hexylphthalate(DnHP/DHEX P/DHP)	84-75-3	50	N	N	N	N
Dipentylphthalate(DPP/DPENP)	131-18-0	50	N	N	N	N



Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司

ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100

厦门火炬高新区(翔安)产业区同龙二路 886 号

Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.com


Please visit www.stct-xm.com and enter customer service system to validate the test report.

The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.

Test Parameter	Cas No.	MDL (mg/kg)	Result(mg/kg)			
			S09	S10+ S12+ S14	S11+ S13+ S15	S16+ S17
Dicyclohexylphthalate(DCHP)	84-61-7	50	N	N	N	N
Conclusion			Pass	Pass	Pass	Pass

Test Parameter	Cas No.	MDL (mg/kg)	Result(mg/kg)			
			S18+ S19	S20+ S21+ S22	S23+ S24	S25+ S26+ S27
Di-n-butylphthalate(DBP)	84-74-2	50	N	N	N	N
Benzylbutylphthalate(BBP)	85-68-7	50	N	N	N	N
Diethylhexylphthalate(DEHP)	117-81-7	50	N	N	N	N
Diisononylphthalate(DINP)	28553-12-0/ 68515-48-0	50	N	N	N	N
Diisodecylphthalate(DIDP)	26761-40-0/ 68515-49-1	50	N	N	N	N
Diisobutylphthalate(DIBP)	84-69-5	50	N	N	N	N
Di-n-hexylphthalate(DnHP/DHEX P/DHP)	84-75-3	50	N	N	N	N
Dipentylphthalate(DPP/DPENP)	131-18-0	50	N	N	N	N
Dicyclohexylphthalate(DCHP)	84-61-7	50	N	N	N	N
Conclusion			Pass	Pass	Pass	Pass

Test Parameter	Cas No.	MDL (mg/kg)	Result(mg/kg)		
			S28	S29+S30	S31+S32
Di-n-butylphthalate(DBP)	84-74-2	50	N	N	N
Benzylbutylphthalate(BBP)	85-68-7	50	N	N	N
Diethylhexylphthalate(DEHP)	117-81-7	50	N	N	N
Diisononylphthalate(DINP)	28553-12-0/ 68515-48-0	50	N	N	N
Diisodecylphthalate(DIDP)	26761-40-0/ 68515-49-1	50	N	N	N
Diisobutylphthalate(DIBP)	84-69-5	50	N	N	N
Di-n-hexylphthalate(DnHP/DHEX P/DHP)	84-75-3	50	N	N	N
Dipentylphthalate(DPP/DPENP)	131-18-0	50	N	N	N



Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司

ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100

厦门火炬高新区(翔安)产业区同龙二路886号

 Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.com

 Please visit www.stct-xm.com and enter customer service system to validate the test report.

The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.

Test Parameter	Cas No.	MDL (mg/kg)	Result(mg/kg)		
			S28	S29+S30	S31+S32
Dicyclohexylphthalate(DCHP)	84-61-7	50	N	N	N
Conclusion			Pass	Pass	Pass

Note:

(1) mg/kg=ppm=0.0001%(w/w); 0.1%(w/w)=1000 mg/kg

(2) MDL=Method Detection Limit; N=Not Detected(<MDL)

(3) Only substances more than MDL are involved in the calculation of the sum.

*******END OF REPORT*******

Xiamen Sino-Tech Testing Technology Co., Ltd 厦门中迅德检测技术有限公司

ADD: No.866,Tong Long 2nd Road,Torch Hi-Tech District,Xiang'an Industrial District,Xiamen P.C.: 361100

厦门火炬高新区(翔安)产业区同龙二路 886 号

Tel: +86 592 2631925 2631940 7201068 Fax: +86 592 2631941 Email: stct@stct-xm.comPlease visit www.stct-xm.com and enter customer service system to validate the test report.

The applicant and sample information submitted on behalf of the client, were not authenticated by the company. The test report relates only to the items tested. Samples are tested as received. Without the written approval of the company, the test report shall not be reproduced in extracts.