

LAB LOCATION: HANG ZHOU

DATE IN: Jul 17, 2024

REPORT NUMBER: EFHZ24073182-CG-01


DATE OUT: Jul 23, 2024

| | | | |
|-------------------|--|-------------|----|
| Applicant: | Polyconcept GBS | | |
| Contact: | Kathy Lu | | |
| Address: | Room 301-303, No. 666 West Huaihai Road, Changning District, Shanghai, 200052, PRC | | |
| TEL: | 13918486858 | FAX: | -- |
| E-mail: | Kathy.lu@polyconceptgbs.com | | |
| Copy To: | -- | | |

OVERALL RATING

| | |
|-----------------------|-----------|
| SATISFACTORY | <u>X</u> |
| UNSATISFACTORY | <u>--</u> |

Sample Information

| | | |
|--|-------------------------------------|--------------------------------|
|  | Sample Description: | Classic 6-Can Lunch Cooler |
| | PO Number: | M000041560 1 1 |
| | Article Number: | SM-7500BK |
| | Number of Sample Submitted: | 2PCS+15PCS inner label+COATING |
| | Factory Number: | 11574 |
| | Vendor Number: | 11016 |
| | Customer: | BULLET |
| | Country of Origin: | CHINA |
| | Country of Destination: | US, CAN |
| | Retest – Previous Report No: | / |
| A | Remark: | / |

**POLYCONCEPT
TEST REPORT**

Page 2 of 10
Report Number: EFHZ24073182-CG-01


| Test Result Summary | |
|---|---------------|
| TEST REQUESTED | RESULT |
| California Proposition 65 Total Lead Content in Surface Coatings and Substrates | Pass |
| Phthalates Content | Pass |
| Total Bisphenol A (BPA) Content | Pass |
| Net Chloroform-Soluble Extractives - FDA 21 CFR 177.1350 | Pass |
| 19 CFR 134.11 Country of Origin Markings | Pass |
| Textile Flammability Regulations in Non-Bedding Textile | Pass |

Signed for and on behalf of
Eurofins Product Testing Service (Hang
zhou) Co., Ltd

Sara Liu
Sara Liu
Quality Manager



SAMPLE PHOTO(S)



A

EFHZ24073182-CG-01

TO BE CONTINUED

COMPONENT LIST

| Component No. | Component | Sample No. |
|----------------------|--|-------------------|
| 1 | Fabric with black/white coating label (SM-7500BK) | A |
| 2 | Black fabric with black backing coating (body) (SM-7500BK) | A |
| 3 | Black coating on metal (zipper slider/zipper puller) (SM-7500BK) | A |
| 4 | White PEVA (lining) (SM-7500BK) | A |
| 5 | Black plastic (adjustable buckle) (SM-7500BK) | A |
| 6 | Black plastic (zipper teeth) (SM-7500BK) | A |
| 7 | White fabric with black printing (label) (SM-7500BK) | A |
| 8 | Black fabric (zipper tape) (SM-7500BK) | A |
| 9 | Black fabric (strap) (SM-7500BK) | A |
| 10 | Silver metal excluding coating (zipper slider) (SM-7500BK) | A |
| 11 | Silver metal excluding coating (zipper puller) (SM-7500BK) | A |

TO BE CONTINUED

TEST RESULT

Total Lead Content

Test Request: Total lead content as specified in US California Proposition 65
Test Method: CPSC-CH-E1003-09.1, CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3
Acid digestion/ microwave digestion method was used and total lead content was determined by ICP-OES.

| Test Item(s) | Unit | Limit | MDL | Result | | |
|--------------------|-------|-------|-----|--------|------|------|
| | | | | 1 | 2 | 3 |
| Total Lead Content | mg/kg | 90 | 10 | ND | ND | ND |
| Conclusion | | | | Pass | Pass | Pass |

| Test Item(s) | Unit | Limit | MDL | Result | | |
|--------------------|-------|-------|-----|--------|-------|-------|
| | | | | 4+5+6 | 7+8+9 | 10+11 |
| Total Lead Content | mg/kg | 100 | 10 | ND | ND | ND |
| Conclusion | | | | Pass | Pass | Pass |

Remark:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples. The limit(s) was/were referred from various court cases. Compliance with the above stated limit(s) does not show compliance with Proposition 65 or a guarantee against possible legal action but provides a relative level of assurance against potential lawsuits.

mg/kg = milligram per kilogram

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT

Phthalates Content

Test Request: Phthalates Content as requested by client's request.

Test Method: CPSC-CH-C1001-09.4

| Test Item(s) | CAS No. | Unit | Limit | MDL | Result | | | |
|-------------------------------|------------|------|-------|-------|--------|------|------|-------|
| | | | | | 1 | 2 | 3 | 4+5+6 |
| Diisononyl phthalate (DINP) | 28553-12-0 | % | 0.1 | 0.005 | ND | ND | ND | ND |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | % | 0.1 | 0.005 | ND | ND | ND | ND |
| Di-n-hexyl phthalate (DHEXP) | 84-75-3 | % | 0.1 | 0.005 | ND | ND | ND | ND |
| Dicyclohexyl phthalate (DCHP) | 84-61-7 | % | 0.1 | 0.005 | ND | ND | ND | ND |
| Diisobutyl phthalate (DIBP) | 84-69-5 | % | 0.1 | 0.005 | ND | ND | ND | ND |
| Diethylhexylphthalate (DEHP) | 117-81-7 | % | 0.1 | 0.005 | ND | ND | ND | ND |
| Dibutylphthalate (DBP) | 84-74-2 | % | 0.1 | 0.005 | ND | ND | ND | ND |
| Benzylbutylphthalate (BBP) | 85-68-7 | % | 0.1 | 0.005 | ND | ND | ND | ND |
| Diisodecylphthalate (DIDP) | 26761-40-0 | % | 0.1 | 0.005 | ND | ND | ND | ND |
| Di-n-octylphthalate (DNOP) | 117-84-0 | % | 0.1 | 0.005 | ND | ND | ND | ND |
| Di-n-hexyl phthalate (DnHP) | 84-75-3 | % | 0.1 | 0.005 | ND | ND | ND | ND |
| Conclusion | | | | | Pass | Pass | Pass | Pass |

| Test Item(s) | CAS No. | Unit | Limit | MDL | Result |
|-------------------------------|------------|------|-------|-------|--------|
| | | | | | 7 |
| Diisononyl phthalate (DINP) | 28553-12-0 | % | 0.1 | 0.005 | ND |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | % | 0.1 | 0.005 | ND |
| Di-n-hexyl phthalate (DHEXP) | 84-75-3 | % | 0.1 | 0.005 | ND |
| Dicyclohexyl phthalate (DCHP) | 84-61-7 | % | 0.1 | 0.005 | ND |
| Diisobutyl phthalate (DIBP) | 84-69-5 | % | 0.1 | 0.005 | ND |
| Diethylhexylphthalate (DEHP) | 117-81-7 | % | 0.1 | 0.005 | ND |
| Dibutylphthalate (DBP) | 84-74-2 | % | 0.1 | 0.005 | ND |
| Benzylbutylphthalate (BBP) | 85-68-7 | % | 0.1 | 0.005 | ND |
| Diisodecylphthalate (DIDP) | 26761-40-0 | % | 0.1 | 0.005 | ND |
| Di-n-octylphthalate (DNOP) | 117-84-0 | % | 0.1 | 0.005 | ND |
| Di-n-hexyl phthalate (DnHP) | 84-75-3 | % | 0.1 | 0.005 | ND |
| Conclusion | | | | | Pass |

Remark:

According to client's request, tests are combination tests. The experimental results are the total result of mixed samples.

1 mg/kg = 1 ppm = 0.0001%

MDL = method detection limit

ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT**Total Bisphenol A (BPA) Content**

Test Request: Bisphenol A (BPA) content as requested by client's request.
Test Method: With reference to EPA 3550C:2007, EPA 8321B:2007, solvent extraction and determination by LC-MS.

| Test Item(s) | CAS No. | Unit | Limit | MDL | Result |
|--------------|---------|-------|-------|-----|--------|
| | | | | | 4 |
| Bisphenol A | 80-05-7 | mg/kg | 1 | 0.1 | ND |
| Conclusion | | | | | Pass |

Remark:

mg/kg = milligram per kilogram
MDL = method detection limit
ND = Not detected, less than MDL

TO BE CONTINUED

TEST RESULT**Net Chloroform-Soluble Extractives - FDA 21 CFR 177.1350**

Test Request: In accordance with FDA 21 CFR 177.1350 to determine the amount of net chloroform-soluble extractives (corrected for zinc as zinc oleate) of Ethylene-vinyl acetate copolymers.

Test Method: As specified in FDA 21 CFR 177.1350 with reference to FDA 21 CFR 176.170(c).

| Simulant Used | Time | Temperature | Unit | Limit | Result |
|-----------------|-------|-------------|--------------------|-------|--------|
| | | | | | 4 |
| Distilled Water | 24h | 120°F | mg/in ² | 0.5 | ND |
| 8% Alcohol | 24h | 120°F | mg/in ² | 0.5 | ND |
| 50% Alcohol | 24h | 120°F | mg/in ² | 0.5 | ND |
| n-Heptane | 30min | 70°F | mg/in ² | 0.5 | ND |
| Conclusion | | | | | Pass |

Remark:

mg/in² = milligram per square inch

MDL = method detection limit

ND = Not detected, less than MDL

°F= degrees Fahrenheit

Test condition was specified by client.

TO BE CONTINUED

TEST RESULT**19 CFR 134.11-Country of Origin-Labeling Review**

| Test | Observation | Conclusion |
|-------------------|--|------------|
| | | Sample A |
| Country Of Origin | Present on product and can be read easily by consumer at the point of sale | Pass |

Textile Flammability Regulations in Non-Bedding Textile

Test Request: As per Textile Flammability Regulations SOR/2016-194

| Sample | Limit | Result |
|----------|------------|--------|
| A-shell | See Remark | IBE |
| A-lining | See Remark | IBE |

Remark:

Products without a raised fibre surface

- The flame spread time for textile products without a raised fibre surface must be greater than 3.5 seconds.

Products with a raised fibre surface

- The flame spread time for textile products with a raised fibre surface that exhibits ignition or fusion of its base fibres must be greater than 4 seconds.

Bedding

- The flame spread time for bedding without a raised fibre surface, or bedding with a raised fibre surface that exhibits ignition or fusion of its base fibres, must be greater than 7 seconds.

IBE = Ignite But Self – Extinguished

END OF THE REPORT

NOTE:

If there is question or concern regarding the above results, please contact us via email info.hz@cpt.eurofinscn.com.

Samples are obtained by express delivery, Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins Product Testing Service (Hangzhou) Co., Ltd ensures that this job has been performed according to our Quality System and complying contract and legal conditions. If you happen to have any comments, please do it by sending email to info.hz@cpt.eurofinscn.com and referring to this report number. Reproduction of this document is only valid if it is done completely and under the written permission of Eurofins Product Testing Service (Hangzhou) Co., Ltd. If you happen to have any complaints, please do it by sending email to chinacomplaint@cpt.eurofinscn.com and referring to this report number. As per regulation of China Metrology Accreditation (CMA), a report without CMA accreditation logo will not serve as testimonial to the public for the purpose defined by CMA regulations.