
TEST REPORT

Test Report No.TRP/T(A)/25/033695
Dated: 2025-11-04

Sample Image (s) (As Received)



Laboratory:
TUV SUD South Asia Pvt. Ltd.
106/2A, Nehru Street, 15 Velampalayam
Tamil Nadu,
Tirupur,641652

Phone :0421-4303100
Fax :0421-2257559
E-Mail :suresh.mohan@tuvsud.com
Url : www.tuv-sud.in/softlines
ControlNO:15361240.210923.119


Regd. Office:
TUV SUD South Asia Pvt. Ltd. Off Saki Vihar Road, Saki naka, Andheri (East), Mumbai-400072.
India

TEST REPORT

Test Report No.TRP/T(A)/25/033695
Dated: 2025-11-04



Component No. A1, B1, C1, D1, E1



Component No. A2, B2, C2, D2, E2



Component No. A3



Component No. B3



Component No. C3

Laboratory:
TUV SUD South Asia Pvt. Ltd.
106/2A, Nehru Street, 15 Velampalayam
Tamil Nadu,
Tirupur,641652

Phone :0421-4303100
Fax :0421-2257559
E-Mail :suresh.mohan@tuvsud.com
Url : www.tuv-sud.in/softlines
ControlNO:15361240.210923.119

Regd. Office:
TUV SUD South Asia Pvt. Ltd. Off Saki Vihar
Road, Saki naka, Andheri (East), Mumbai-400072.
India

TEST REPORT


Test Report No.TRP/T(A)/25/033695
Dated: 2025-11-04



Component No. D3



Component No. E3




Component No. A5, B5, C5, D5, E5




Component No. A4, B4, C4, D4, E4




Component No. A6, A7



Component No. B6, B7



Component No. C6, C7



Component No. D6, D7



Component No. E6, E7

Laboratory:
TUV SUD South Asia Pvt. Ltd.
106/2A, Nehru Street, 15 Velampalayam
Tamil Nadu,
Tirupur,641652

Phone :0421-4303100
Fax :0421-2257559
E-Mail :suresh.mohan@tuvsud.com
Url : www.tuv-sud.in/softlines
ControlNO:15361240.210923.119

Regd. Office:
TUV SUD South Asia Pvt. Ltd. Off Saki Vihar
Road, Saki naka, Andheri (East), Mumbai-400072.
India

TEST REPORT

Test Report No.TRP/T(A)/25/033695
Dated: 2025-11-04

Applicant / Company Name	:	PF Concept International Cooperatief U. A
Adress	:	SCHIPHOLWEG 59, 2316 ZL, LEIDEN THE NETHERLANDS.
Attention / Contact Person	:	Jasmine Gu / Sonia He
Tested Sample	:	Received on 2025-10-30 12:18 PM
Test Period	:	2025-10-30 to 2025-11-04
Article / Sample Description	:	FOLDABLE TOTE 140 BLEND WH / FOLDABLE TOTE 140 BLEND RD / FOLDABLE TOTE 140 BLEND RBL / FOLDABLE TOTE 140 BLEND NY / FOLDABLE TOTE 140 BLEND BK
Style No	:	12078806,12078821,12078853,12078855,12078890
Po#	:	PO # : 671565
Supplier	:	#11074 (FACTORY NO : #11785)
Country Of Origin	:	INDIA
Country Of Destination	:	EU

Note : The submitted sample were not drawn by the Laboratory.

Unless otherwise agreed upon, PASS or FAIL verdicts are given based on the measured values without any considerations of measurement uncertainties. Every test method has a measurement uncertainty which has been evaluated by the laboratory and are available on request. By taking measurement uncertainties into account, it might happen that measured values can neither be assessed as PASS nor as FAIL.

1. The testing conditions are followed as per the reported test standard. For additional test conditions, apart from the reported test conditions, the laboratory can be contacted for details. 2. The laboratory will retain the sample(s) for 45 days except for the mandatory retention period specified by the Regulatory Bodies and unless otherwise specified by the client.

By accepting this document the customer hereby agrees and accepts the 'Terms & Conditions' and the relevant 'Testing & Certification Regulations' of TÜV SÜD South Asia Pvt. Ltd. which are available at Company's website at the link-https://www.tuvsud.com/en-in/terms-and-conditions
Note: The test report is electronically generated. Hence original signature is not required.

Note : (1) The results relate only to the items tested, (2) The test report shall not be reproduced except in ful without the written approval of the laboratory, (3) Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (4) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same.

Test Report No.TRP/T(A)/25/033695
Dated: 2025-11-04

Remarks:
1. Sample(s) is / are tested as on-received basis.
2. Test(s) performed as requested by applicant.
3. Conclusion(s) of the test(s) was drawn as per compliance requirement(s) specified by applicant.

Authorized By



Abdul Asik K.
(Authorised Signatory)

Please contact:
For any technical issues: M. Shanmugam at shanmugam.murugesan@tuvsud.com
For any complaint: T. Gopi at T.Gopi@tuvsud.com

By accepting this document, the customer hereby agrees and accepts the 'Terms & Conditions' and the relevant 'Testing & Certification Regulations' of TÜV SÜD South Asia Pvt Ltd. which are available at Company's website at the link-https://www.tuvsud.com/en-in/terms-and-conditions
Note: The test report is electronically generated. Hence original signature is not required.
Note: (1) The results relate only to the items tested, (2) The test report shall not be reproduced except in full without the written approval of the laboratory (3) Any

Laboratory:
TUV SUD South Asia Pvt. Ltd.
106/2A, Nehru Street, 15 Velampalayam
Tamil Nadu,
Tirupur,641652

Phone :0421-4303100
Fax :0421-2257559
E-Mail :suresh.mohan@tuvsud.com
Url : www.tuv-sud.in/softlines
ControlNO:15361240.210923.119

Regd. Office:
TUV SUD South Asia Pvt. Ltd. Off Saki Vihar Road, Saki naka, Andheri (East), Mumbai-400072. India

Test Report No.TRP/T(A)/25/033695
Dated: 2025-11-04

use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4. (4) The correctness of the information related to sample(s) in the Test Request Form/Customer letterhead/Email is the customer's responsibility. The laboratory reports the said information in the test report and is not liable for the same, (5) The testing conditions are followed as per the reported test standard. For additional test conditions apart from the reported test conditions laboratory can be contacted for details

Summary of Test Result(s)

S. No.	Test(s)	Conclusion (#)
1.	Total Lead Content-REACH Annex XVII Entry 63	Pass
2.	Total Cadmium Content-Reach – Annex XVI – 23	Pass
3.	Chromium VI-REACH Annex XVII Entry 47	Pass
4.	DMFa (REACH SVHCs)	Pass
5.	Disperse Dyes (REACH Annex XVII Entry 72)	Pass
6.	Azo dyes (REACH Annex XVII Entry 43 & Entry 72)	Pass
7.	Formaldehyde Content (REACH Annex XVII Entry 72)	Pass
8.	Extractable Heavy Metals (REACH Annex XVII Entry 72)	Pass

(#) For details regarding specification(s) / regulation(s) based on which compliance is decided, refer test details.

Laboratory:
TUV SUD South Asia Pvt. Ltd.
106/2A, Nehru Street, 15 Velampalayam
Tamil Nadu,
Tirupur,641652

Phone :0421-4303100
Fax :0421-2257559
E-Mail :suresh.mohan@tuvsud.com
Url : www.tuv-sud.in/softlines
ControlNO:15361240.210923.119

Regd. Office:
TUV SUD South Asia Pvt. Ltd. Off Saki Vihar
Road, Saki naka, Andheri (East), Mumbai-400072.
India

TEST REPORT

Test Report No.TRP/T(A)/25/033695
Dated: 2025-11-04

Material list / List of material(s) (As confirmed by applicant)

Component No.	Component description	Material	Color	Remarks
A	**FOLDABLE TOTE 140 BLEND WH (Item no: 12078806)**	**COTTON / POLYESTER**	**BEIGE**	**--**
A1	BASE	COTTON /POLYESTER	BEIGE	
A2	INNER LABEL	POLYESTER	MULTI	
A3	STRAP	COTTON	BEIGE	
A4	SIDE LABEL WITH PRINT	COTTON/PRINT	BEIGE/BLACK	
A5	ZIPPER PULLER, SLIDER	METAL	SILVER	
A6	ZIPPER TAPE	POLYESTER	BEIGE	
A7	ZIPPER TEETH	POLYMER	BEIGE	
B	**FOLDABLE TOTE 140 BLEND RD / (Item no: 12078821)**	**COTTON / POLYESTER**	**BEIGE**	
B1	BASE	COTTON/POLYESTER	BEIGE	SAME AS A1
B2	INNER LABEL	POLYESTER	MULTI	SAME AS A2
B3	STRAP	COTTON	RED	
B4	SIDE LABEL WITH PRINT	COTTON/PRINT	BEIGE/BLACK	SAME AS A4
B5	ZIPPER PULLER, SLIDER	METAL	SILVER	SAME AS A5
B6	ZIPPER TAPE	POLYESTER	RED	

Test Report No.TRP/T(A)/25/033695
Dated: 2025-11-04

B7	ZIPPER TEETH	POLYMER	RED	
C	**FOLDABLE TOTE 140 BLEND RBL (Item no: 12078853)**	**COTTON / POLYESTER**	**BEIGE**	
C1	BASE	COTTON/POLYESTER	BEIGE	SAME AS A1
C2	INNER LABEL	POLYESTER	MULTI	SAME AS A2
C3	STRAP	COTTON	BLUE	
C4	SIDE LABEL WITH PRINT	COTTON/PRINT	BEIGE/BLACK	SAME AS A4
C5	ZIPPER PULLER, SLIDER	METAL	SILVER	SAME AS A5
C6	ZIPPER TAPE	POLYESTER	BLUE	
C7	ZIPPER TEETH	POLYMER	BLUE	
D	**FOLDABLE TOTE 140 BLEND NY (Item no: 12078855)**	**COTTON / POLYESTER**	**BEIGE**	
D1	BASE	COTTON/POLYESTER	BEIGE	SAME AS A1
D2	INNER LABEL	POLYESTER	MULTI	SAME AS A2
D3	STRAP	COTTON	NAVY	
D4	SIDE LABEL WITH PRINT	COTTON/PRINT	BEIGE/BLACK	SAME AS A4
D5	ZIPPER PULLER, SLIDER	METAL	SILVER	SAME AS A5
D6	ZIPPER TAPE	POLYESTER	NAVY	
D7	ZIPPER TEETH	POLYMER	NAVY	
E	**FOLDABLE TOTE 140 BLEND BK (Item no: 12078890)**	**COTTON / POLYESTER**	**BEIGE**	
E1	BASE	COTTON/POLYESTER	BEIGE	SAME AS A1

Laboratory:
TUV SUD South Asia Pvt. Ltd.
106/2A, Nehru Street, 15 Velampalayam
Tamil Nadu,
Tirupur,641652

Phone :0421-4303100
Fax :0421-2257559
E-Mail :suresh.mohan@tuvsud.com
Url : www.tuv-sud.in/softlines
ControlNO:15361240.210923.119

Regd. Office:
TUV SUD South Asia Pvt. Ltd. Off Saki Vihar
Road, Saki naka, Andheri (East), Mumbai-400072.
India

Test Report No.TRP/T(A)/25/033695
Dated: 2025-11-04

E2	INNER LABEL	POLYESTER	MULTI	SAME AS A2
E3	STRAP	COTTON	BLACK	
E4	SIDE LABEL WITH PRINT	COTTON/PRINT	BEIGE/BLACK	SAME AS A4
E5	ZIPPER PULLER, SLIDER	METAL	SILVER	SAME AS A5
E6	ZIPPER TAPE	POLYESTER	BLACK	
E7	ZIPPER TEETH	POLYMER	BLACK	

Sampling plan (As requested by applicant)

S. No.	Test	Component No.					
1	Total Lead Content-REACH Annex XVII Entry 63	A1 + A3 + B3		C3 + D3 + E3		A2	
		A4		A5		A6 + B6 + C6	
		D6 + E6		A7 + B7 + C7		D7 + E7	
2	Total Cadmium Content-Reach - Annex XVI - 23	A1 + A3 + B3		C3 + D3 + E3		A2	
		A4		A5		A6 + B6 + C6	
		D6 + E6		A7 + B7 + C7		D7 + E7	
3	Chromium VI-REACH Annex XVII Entry 47	A1	A3	B3	C3	D3	E3
4	DMFa (REACH SVHCs)	A1 + A3 + B3 + C3 + D3 + E3					
5	Disperse Dyes (REACH Annex XVII Entry 72)	A1 + D3 + E3			A3 + B3 + C3		
6	Azo dyes (REACH Annex XVII Entry 43 & Entry 72)	A3 + B3 + C3			A1 + D3 + E3		
7	Formaldehyde Content (REACH Annex XVII Entry 72)	A1 + D3 + E3			A3 + B3 + C3		
8	Extractable Heavy Metals (REACH Annex XVII Entry 72)	A3 + B3		A1 + E3		C3 + D3	

Laboratory:
TUV SUD South Asia Pvt. Ltd.
106/2A, Nehru Street, 15 Velampalayam
Tamil Nadu,
Tirupur,641652

Phone :0421-4303100
Fax :0421-2257559
E-Mail :suresh.mohan@tuvsud.com
Url : www.tuv-sud.in/softlines
ControlNO:15361240.210923.119

Regd. Office:
TUV SUD South Asia Pvt. Ltd. Off Saki Vihar
Road, Saki naka, Andheri (East), Mumbai-400072.
India

TEST REPORT

Test Report No.TRP/T(A)/25/033695
Dated: 2025-11-04

Test Result(s):

1.Total Lead Content

Test Specification(s) / Regulation(s): REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry level / No.: 63);
Test method(s) adopted: In-house method {(GTP_Chem_CPS_25134C) - Non-Metal / (Acid digestion followed by analysis using ICP-OES)};
Equipment(s) used: Inducstively Coupled Plasma – Optical Emission spectroscopy (ICP – OES).

S. No.	Component No.	Test Result (mg/kg)	Limit of quantification (mg/kg)	Compliance Requirement(s) / Limit Max	Conclusion
1.	A1 + A3 + B3	<10	10.0	Less than 500 mg/kg	Pass
2.	C3 + D3 + E3	<10	10.0	Less than 500 mg/kg	Pass
3.	A2	<10	10.0	Less than 500 mg/kg	Pass
4.	A4	<10	10.0	Less than 500 mg/kg	Pass
5.	A5	29.1	10.0	Less than 500 mg/kg	Pass
6.	A6 + B6 + C6	<10	10.0	Less than 500 mg/kg	Pass
7.	D6 + E6	<10	10.0	Less than 500 mg/kg	Pass
8.	A7 + B7 + C7	<10	10.0	Less than 500 mg/kg	Pass
9.	D7 + E7	<10	10.0	Less than 500 mg/kg	Pass

2.Total Cadmium Content

Test Specification(s) / Regulation(s): REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry level / No.: 23);
Test method(s) adopted: In-house method {(GTP_Chem_CPS_25134C) – Non-Metal / (Acid digestion followed by analysis using ICP-OES)};
Equipment(s) used: Inductively Coupled Plasma – Optical Emission spectroscopy (ICP – OES).

S. No.	Component No.	Test Result (mg/kg)	Limit of Quantification (mg/kg)	Compliance Requirement(s) / Limit Max	Conclusion
1.	A1 + A3 + B3	<10	10.0	Less than 100 mg/kg	Pass
2.	C3 + D3 + E3	<10	10.0	Less than 100 mg/kg	Pass
3.	A2	<10	10.0	Less than 100 mg/kg	Pass
4.	A4	<10	10.0	Less than 100 mg/kg	Pass
5.	A5	<10	10.0	Less than 100 mg/kg	Pass
6.	A6 + B6 + C6	<10	10.0	Less than 100 mg/kg	Pass
7.	D6 + E6	<10	10.0	Less than 100 mg/kg	Pass
8.	A7 + B7 + C7	<10	10.0	Less than 100 mg/kg	Pass
9.	D7 + E7	<10	10.0	Less than 100 mg/kg	Pass

Laboratory:
TUV SUD South Asia Pvt. Ltd.
106/2A, Nehru Street, 15 Velampalayam
Tamil Nadu,
Tirupur,641652

Phone :0421-4303100
Fax :0421-2257559
E-Mail :suresh.mohan@tuvsud.com
Url : www.tuv-sud.in/softlines
ControlNO:15361240.210923.119

Regd. Office:
TUV SUD South Asia Pvt. Ltd. Off Saki Vihar
Road, Saki naka, Andheri (East), Mumbai-400072.
India

3.Hexavalent Chromium {Cr (VI)}#

Test specification(s): Applicant's /specification(s) in line with REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry level / No.: 47);
Test method(s) adopted: Applicant's / Client'(s) specified method with reference to ISO 17075-1:2017.
Equipment(s) used: UV (Ultraviolet) – VIS (Visible) Spectrophotometer.

S. No.	Component No.	Test Result (mg/kg)	Limit of quantification (mg/kg)	Compliance Requirement(s) / Limit Max	Conclusion
1.	A1	ND	3.0	Less than 3 mg/kg	Pass
2.	A3	ND	3.0	Less than 3 mg/kg	Pass
3.	B3	ND	3.0	Less than 3 mg/kg	Pass
4.	C3	ND	3.0	Less than 3 mg/kg	Pass
5.	D3	ND	3.0	Less than 3 mg/kg	Pass
6.	E3	ND	3.0	Less than 3 mg/kg	Pass

4.Dimethyl Formamide / N,N-dimethyl Formamide (CAS No. 68-12-2)#

Test specification(s): REACH SVHC (Substances of very high concern);
Test method(s) adopted: In-house method GTP_Chem_CPS_25126C.
Equipment(s) used: GC – MS (Gas Chromatograph – Mass Spectrometer).

S. No.	Component No.	Test Result (mg/kg)	Limit of quantification (mg/kg)	Compliance Requirement(s) / Limit Max (mg/kg)	Conclusion
1.	A1 + A3 + B3 + C3 + D3 + E3	ND	10	1000	Pass

Test Report No.TRP/T(A)/25/033695
Dated: 2025-11-04

5.0 Disperse Dyes

Test Specification(s): REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry: 72);
Test method(s) adopted: Inhouse Method GTP_Chem_CPS_25167C.2019 based on DIN 54231:2022;
Equipment(s) used: LC-MS (Liquid chromatography-Mass spectrometer)

S.No.	Dyes	CAS No.	Test Result (mg/kg)- Component No.	Compliance Requirement(s) / Limit Max
			A1 + D3 + E3	
1.	[4-[4,4-bis(dimethylamino) benzhydryidene] cyclohexa	548-62-9	ND	< 50 (mg/kg)(for each)
2.	1,4,5,8- tetraaminoanthraquinone; C.I. Disperse Blue	2475-45-8	ND	
3.	Benzenamine , 4,4'- 4(iminocyclohexa -2,5 -dienyliden	569-61-9	ND	
Conclusion			Pass	
Limit of quantification: 15.0 (mg/kg) (for each);				

5.1 Disperse Dyes

Test Specification(s): REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry: 72);
Test method(s) adopted: Inhouse Method GTP_Chem_CPS_25167C.2019 based on DIN 54231:2022;
Equipment(s) used: LC-MS (Liquid chromatography-Mass spectrometer)

S.No.	Dyes	CAS No.	Test Result (mg/kg)- Component No.	Compliance Requirement(s) / Limit Max
			A3 + B3 + C3	
1.	[4-[4,4-bis(dimethylamino) benzhydryidene] cyclohexa	548-62-9	ND	< 50 (mg/kg)(for each)
2.	1,4,5,8- tetraaminoanthraquinone; C.I. Disperse Blue	2475-45-8	ND	
3.	Benzenamine , 4,4'- 4(iminocyclohexa -2,5 -dienyliden	569-61-9	ND	
Conclusion			Pass	
Limit of quantification: 15.0 (mg/kg) (for each);				

Laboratory:
TUV SUD South Asia Pvt. Ltd.
106/2A, Nehru Street, 15 Velampalayam
Tamil Nadu,
Tirupur,641652

Phone :0421-4303100
Fax :0421-2257559
E-Mail :suresh.mohan@tuvsud.com
Url : www.tuv-sud.in/softlines
ControlNO:15361240.210923.119

Regd. Office:
TUV SUD South Asia Pvt. Ltd. Off Saki Vihar
Road, Saki naka, Andheri (East), Mumbai-400072.
India

Test Report No.TRP/T(A)/25/033695
Dated: 2025-11-04

6.Azo Dyes

Test Specification(s): REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry level / No.: 43 & 72);
Test method(s) adopted: Based on EN 14362-1 & 3 :2017,
Equipment(s) used: GC – MS (Gas Chromatograph – Mass Spectrometer).

S.No.	AMINE	CAS No.	Result (mg/kg) Component No. A3 + B3 + C3	Limit max
1.	4-aminobiphenyl	92-67-1	ND	30 mg/kg(for each)
2.	Benzidine	92-87-5	ND	
3.	4-chloro-o-toluidine	95-69-2	ND	
4.	2-naphthylamine	91-59-8	ND	
5.	dimethylazobenzene / 4-o-tolylazo-o-toluidine o-aminoazotoluene / 4-amino-2',3-	97-56-3	ND	
6.	2-amino-4-nitrotoluene / 5-nitro-o-toluidine	99-55-8	ND	
7.	4-chloroaniline / p-chloroaniline	106-47-8	ND	
8.	Phenylenediamine 2,4-diaminoanisole / 4-methoxy-m-	615-05-4	ND	
9.	Diaminodiphenylmethane 4, 4'-methylenedianiline / 4, 4'-	101-77-9	ND	
10.	xylenediamine 3,3'-dichlorobenzidine / 3,3'-dichlorobiphenyl-4,4'-	91-94-1	ND	
11.	3,3'-dimethoxybenzidine / o-dianisidine	119-90-4	ND	
12.	3,3'-dimethylbenzidine / 4,4'-bi-o-toluidine	119-93-7	ND	
13.	3,3'-dimethyl-4,4'diaminodiphenylmethane / 4,4'-methylenedi-o-toluidine	838-88-0	ND	
14.	p-cresidine / 6-methoxy-m-toluidine	120-71-8	ND	
15	4,4'-methylene-bis-(2-chloroaniline) / 2,2'-dichloro-, 4,4'-methylene-dianiline	101-14-4	ND	
16.	4,4'-oxydianiline	101-80-4	ND	
17.	4,4'-thiodianiline	139-65-1	ND	
18.	o-toluidine / 2-aminotoluene	95-53-4	ND	
19.	4-methyl-m-phenylenediamine / 2,4-toluenediamine	95-80-7	ND	
20.	2,4,5-trimethylaniline	137-17-7	ND	
21.	o-anisidine / 2-methoxyaniline	90-04-0	ND	
22	4-amino azobenzene	60-09-3	ND	
23.	4-chloro-o-toluidinium chloride	221-627-8	ND	
24.	2-Naphthylammoniumacetate	209-030-0	ND	
25.	4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate	254-323-9	ND	
26.	2,4,5-trimethylaniline hydrochloride	--	ND	
Overall Conclusion			Pass	

Limit of quantification: 5.0 mg/kg (for each of the 26 amines);

Laboratory:
TUV SUD South Asia Pvt. Ltd.
106/2A, Nehru Street, 15 Velampalayam
Tamil Nadu,
Tirupur,641652

Phone :0421-4303100
Fax :0421-2257559
E-Mail :suresh.mohan@tuvsud.com
Url : www.tuv-sud.in/softlines
ControlNO:15361240.210923.119

Regd. Office:
TUV SUD South Asia Pvt. Ltd. Off Saki Vihar Road, Saki naka, Andheri (East), Mumbai-400072.
India

Test Report No.TRP/T(A)/25/033695
Dated: 2025-11-04

6.1 Azo Dyes

Test Specification(s): REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry level / No.: 43 & 72);
Test method(s) adopted: Based on EN 14362-1 & 3 :2017,
Equipment(s) used: GC – MS (Gas Chromatograph – Mass Spectrometer).

S.No.	AMINE	CAS No.	Result (mg/kg) Component No. A1 + D3 + E3	Limit max 30 mg/kg(for each)
1.	4-aminobiphenyl	92-67-1	ND	
2.	Benzidine	92-87-5	ND	
3.	4-chloro-o-toluidine	95-69-2	ND	
4.	2-naphthylamine	91-59-8	ND	
5.	dimethylazobenzene / 4-o-tolylazo-o-toluidine o-aminoazotoluene / 4-amino-2',3-	97-56-3	ND	
6.	2-amino-4-nitrotoluene / 5-nitro-o-toluidine	99-55-8	ND	
7.	4-chloroaniline / p-chloroaniline	106-47-8	ND	
8.	Phenylenediamine 2,4-diaminoanisole / 4-methoxy-m-	615-05-4	ND	
9.	Diaminodiphenylmethane 4, 4'-methylenedianiline / 4, 4'-	101-77-9	ND	
10.	xylenediamine 3,3'-dichlorobenzidine / 3,3'-dichlorobiphenyl-4,4'-	91-94-1	ND	
11.	3,3'-dimethoxybenzidine / o-dianisidine	119-90-4	ND	
12.	3,3'-dimethylbenzidine / 4,4'-bi-o-toluidine	119-93-7	ND	
13.	3,3'-dimethyl-4,4'diaminodiphenylmethane / 4,4'-methylenedi-o-toluidine	838-88-0	ND	
14.	p-cresidine / 6-methoxy-m-toluidine	120-71-8	ND	
15	4,4'-methylene-bis-(2-chloroaniline) / 2,2'-dichloro-, 4,4'-methylene-dianiline	101-14-4	ND	
16.	4,4'-oxydianiline	101-80-4	ND	
17.	4,4'-thiodianiline	139-65-1	ND	
18.	o-toluidine / 2-aminotoluene	95-53-4	ND	
19.	4-methyl-m-phenylenediamine / 2,4-toluenediamine	95-80-7	ND	
20.	2,4,5-trimethylaniline	137-17-7	ND	
21.	o-anisidine / 2-methoxyaniline	90-04-0	ND	
22	4-amino azobenzene	60-09-3	ND	
23.	4-chloro-o-toluidinium chloride	221-627-8	ND	
24.	2-Naphthylammoniumacetate	209-030-0	ND	
25.	4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate	254-323-9	ND	
26.	2,4,5-trimethylaniline hydrochloride	--	ND	
Overall Conclusion			Pass	

Limit of quantification: 5.0 mg/kg (for each of the 26 amines);

Laboratory:
TUV SUD South Asia Pvt. Ltd.
106/2A, Nehru Street, 15 Velampalayam
Tamil Nadu,
Tirupur,641652

Phone :0421-4303100
Fax :0421-2257559
E-Mail :suresh.mohan@tuvsud.com
Url : www.tuv-sud.in/softlines
ControlNO:15361240.210923.119

Regd. Office:
TUV SUD South Asia Pvt. Ltd. Off Saki Vihar Road, Saki naka, Andheri (East), Mumbai-400072.
India

Test Report No.TRP/T(A)/25/033695
Dated: 2025-11-04

7.Formaldehyde Content

Test specification(s): REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry: 72).
Test method(s) adopted: ISO 14184 -1: 2011.
Equipment(s) used: UV (Ultra-violet) – VIS (Visible) Spectrophotometer

S. No.	Component No.	Test Result (mg/kg)	Limit of quantification (mg/kg)	Compliance Requirement(s) / Limit Max (mg/kg)	Conclusion
1.	A1 + D3 + E3	ND	5	<75.0	Pass
2.	A3 + B3 + C3	ND	5	<75.0	Pass

8.Extractable Heavy Metals

Test Specification(s): REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry: 72);Test method(s) adopted: Based on EN 16711-2:2016 (Textile);
Equipment(s) / Technique used: {For Cd, As, Pb)} ICP –OES (Inductively Coupled Plasma Optical Emission spectroscopy) and (For Cr (VI) (IC-UV/VIS) (Ion Chromatography-Ultraviolet–visible spectroscopy orultraviolet–visible spectrophotometry)

S. No.	Analytes	Limit of quantification (mg/kg)	Test Result (mg/kg)- Component No.		Compliance Requirement(s) / Limit Max
			A3 + B3	A1 + E3	
1.	Lead (Pb)	0.1	<0.1	<0.1	<1.0 mg/kg (for each)
2.	Cadmium (Cd)	0.01	<0.01	<0.01	
3.	Arsenic (As)	0.1	<0.1	<0.1	
4.	Chromium {Cr (VI)}	0.5	<0.5	<0.5	
Conclusion			Pass	Pass	

Laboratory:
TUV SUD South Asia Pvt. Ltd.
106/2A, Nehru Street, 15 Velampalayam
Tamil Nadu,
Tirupur,641652

Phone :0421-4303100
Fax :0421-2257559
E-Mail :suresh.mohan@tuvsud.com
Url : www.tuv-sud.in/softlines
ControlNO:15361240.210923.119

Regd. Office:
TUV SUD South Asia Pvt. Ltd. Off Saki Vihar Road, Saki naka, Andheri (East), Mumbai-400072.
India

Test Report No.TRP/T(A)/25/033695
Dated: 2025-11-04

8.1Extractable Heavy Metals

Test Specification(s): REACH Regulation (EC) No 1907/2006 (Annex XVII) & its amendments (Entry: 72);Test method(s) adopted: Based on EN 16711-2:2016 (Textile);
Equipment(s) / Technique used: {For Cd, As, Pb)} ICP –OES (Inductively Coupled Plasma Optical Emission spectroscopy) and (For Cr (VI) (IC-UV/VIS) (Ion Chromatography-Ultraviolet–visible spectroscopy orultraviolet–visible spectrophotometry)

S. No.	Analytes	Limit of quantification (mg/kg)	Test Result (mg/kg)- Component No.	Compliance Requirement(s) / Limit Max
			C3 + D3	
1.	Lead (Pb)	0.1	<0.1	
2.	Cadmium (Cd)	0.01	<0.01	<1.0 mg/kg(for each)
3.	Arsenic (As)	0.1	<0.1	
4.	Chromium {Cr (VI)}	0.5	<0.5	
Conclusion			Pass	

Abbreviations

"mg/kg" denotes milligram per kilogram & is equivalent to ppm (parts per million); "ND" denotes Not Detected or below limit of quantification; "%" denotes percent; Conversion from % to ppm or mg/kg canbe done by multiplying with 10,000.

Tests subcontracted to ISO/IEC 17025 approved laboratory

- END OF TEST REPORT-

Laboratory:
TUV SUD South Asia Pvt. Ltd.
106/2A, Nehru Street, 15 Velampalayam
Tamil Nadu,
Tirupur,641652

Phone :0421-4303100
Fax :0421-2257559
E-Mail :suresh.mohan@tuvsud.com
Url : www.tuv-sud.in/softlines
ControlNO:15361240.210923.119

Regd. Office:
TUV SUD South Asia Pvt. Ltd. Off Saki Vihar Road, Saki naka, Andheri (East), Mumbai-400072.
India