



Softlines &  
Hardlines

**POLYCONCEPT  
TEST REPORT**

LAB LOCATION:

SHANGHAI

DATE IN:

October 09, 2025

REPORT NUMBER:

EFW525100254-CG-01

DATE OUT:

October 20, 2025

Applicant:	Polyconcept GBS		
Contact:	Kathy Lu		
Address:	Zhongshan Wanbo International Center, Room 301-303, No. 666 West Huaihai Road, Changning District, Shanghai, 200052, PRC		
TEL:	13918486858	FAX:	--
E-mail:	testprogram@pcna.com; kathy.lu@polyconceptgbs.com; claire.li@polyconceptgbs.com; kkolber@pcna.com		
Copy To:	--		

**OVERALL RATING**

PASS

X

FAIL

--

PRELIM FAIL

--

**Sample Information**

 EFW525100254-CG-01	Sample Description:	Thor Copper Vacuum Insulated Bottle 17oz Thor Copper Vacuum Insulated Bottle 22oz
	PO Number:	01000791 1 1 01001025 1 1 01001026 1 1 01001027 1 1 01001032 1 1
	Article Number:	1626-37BK 1625-85BK 1625-85GY 1625-85MTGR 1625-85WH
	Number of Sample Submitted:	6pcs samples + 80g silicone
	Factory Number:	10942
	Vendor Number:	10531
	Customer:	Leed's
	Country of Origin:	China
	Country of Destination:	US/CAN
	Retest – Previous Report No:	/
	Remark:	--

For and on behalf of  
Eurofins MTS Consumer  
Product Testing (Shanghai) Co., Ltd.



Chen Lin, Rain  
Lab Director, Hardlines Division



Softlines &  
Hardlines

**POLYCONCEPT  
TEST REPORT**

Report Number: EFW525100254-CG-01

**Test Result Summary**

Test Requested	Result
16 CFR 1303 - Total Lead Content in Paints & Surface Coatings	PASS
California Proposition 65 Total Lead Content in Surface Coatings and Substrates	PASS
Canadian Surface Coating Materials Regulation (SOR/2016-193) – Total Lead Content in Surface Coating	PASS
Canadian Consumer Products Containing Lead Regulation (SOR/2018-83) - Total Lead in Substrate	PASS
Phthalate Content (10P)	PASS
Leachable Lead & Cadmium from Glassware and Ceramics – Lip & Rim	PASS
Total Bisphenol A Content	PASS
Material in Contact with Food Articles [Olefin Polymers - Polypropylene Copolymer] – U.S. FDA 21 CFR 177.1520	PASS
Material in Contact with Food Articles [Closures with Sealing Gaskets for Food Containers] – U.S. FDA 21 CFR 177.1210	PASS
FDA GRAS Specifications, Total Chromium in Stainless Steel Food Containers	PASS
19 CFR 134.11 Country of Origin Markings	PASS



Softlines &  
Hardlines

**POLYCONCEPT  
TEST REPORT**

Report Number: EFW525100254-CG-01

**COMPONENT BREAKDOWN LIST:**

Test Item	Component Description
A	Thor Copper Vacuum Insulated Bottle 17oz Thor Copper Vacuum Insulated Bottle 22oz
A1	Black coating (on outer) (1626-37BK/1625-85BK)
A2	White coating (on outer) (1625-85WH)
A3	Grey coating (on outer) (1625-85GY)
A4	Mint green coating (on outer) (1625-85MTGR)
A5	Black plastic (lid) (all styles)
A6	Transparent silicone (gasket) (1625-85BK/GY/MTGR/WH)
A7	Transparent silicone (gasket) (1626-37BK) (same material as A6)
A8	Silver metal (inner/outer/bottom/lid cover of 1625-85, inner of 1626-37BK)
A9	Silver metal (handle) (1625-85BK/GY/MTGR/WH)
A10	Silver metal (outer without coating) (1626-37BK)
A11	Thor Copper Vacuum Insulated Bottle 17oz (1626-37BK)
A12	Thor Copper Vacuum Insulated Bottle 22oz (1625-85BK)
A13	Thor Copper Vacuum Insulated Bottle 22oz (1625-85WH)
A14	Thor Copper Vacuum Insulated Bottle 22oz (1625-85GY)
A15	Thor Copper Vacuum Insulated Bottle 22oz (1625-85MTGR)

Report Number: EFW525100254-CG-01

**TEST RESULT:****16 CFR 1303 - Total Lead Content in Paints & Surface Coatings**

Test Item	Accessibility (Remark 1)	Classification	Total Lead (Pb) (ppm)		Conclusion
			Result	Limit	
A1+A2	Accessible as received	Paint or similar surface coating	<10	90	PASS
A3+A4	Accessible as received	Paint or similar surface coating	<10	90	PASS

## Method:

- 1) Lead in paint and other similar surface coatings:

The test is conducted according to the US CPSC Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings, February 25, 2011 (CPSC-CH-E1003-09.1)

Note: ppm = part per million = mg/kg (milligram per kilogram)

< = less than

Report Number: EFW525100254-CG-01

**TEST RESULT:****California Proposition 65 Total Lead Content in Surface Coatings and Substrates**

Test Item	Classification	Total Lead (Pb) (mg/kg)		Conclusion
		Result	Maximum Permissible Limit	
A1+A2	Surface coating	<10	90	PASS
A3+A4	Surface coating	<10	90	PASS
A5+A6	Substrate	<10	100	PASS
A8+A9+A10	Substrate	<10	100	PASS

**Method:**

- 1) Lead in paint and other similar surface coatings:

The test is conducted according to the US CPSC Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings, February 25, 2011 (CPSC-CH-E1003-09.1)

- 2) Lead in metals:

The test is conducted according to the US CPSC Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry), November 15, 2012 (CPSC-CH-E1001-08.3)

- 3) Lead in other non-metal materials including plastics, glass and leather material:

The test is conducted according to the US CPSC Standard Operating Procedure for Determining Total Lead (Pb) in Non-Metal Children's Products, November 15, 2012 (CPSC-CH-E1002-08.3)

Note: ppm = part per million = mg/kg (milligram per kilogram)

"<" = less than

**TEST RESULT:****Canadian Surface Coating Materials Regulation (SOR/2016-193) – Total Lead Content in Surface Coating**

Test Item	Total Lead (Pb) (mg/kg)		Conclusion
	Result	Limit	
A1+A2	<10	90	PASS
A3+A4	<10	90	PASS

Method: Sample was digested with nitric acid and analyzed by Atomic Absorption Spectrophotometer / Inductively Coupled Argon Plasma Spectrometer / Inductively Coupled Plasma Mass Spectrometer.

Note: mg/kg = milligram per kilogram  
“<” = less than

**Canadian Consumer Products Containing Lead Regulation (SOR/2018-83) - Total Lead in Substrate**

Test Item	Total Lead (Pb) (mg/kg)		Conclusion
	Result	Limit	
A8+A9+A10	<10	90	PASS

Method: Sample was digested with nitric acid and analyzed by Atomic Absorption Spectrophotometer / Inductively Coupled Plasma Mass Spectrometer.

Note: mg/kg = milligram per kilogram  
“<” = less than

Report Number: EFW525100254-CG-01

**TEST RESULT:****Phthalate Content (10P)**

Test Item	Phthalates Content (%)		Conclusion
	Result	Client's requirement	
A1+A2	<0.005 (individual)	<0.1 (individual)	PASS
A3+A4	<0.005 (individual)	<0.1 (individual)	PASS
A5+A6	<0.005 (individual)	<0.1 (individual)	PASS

***List of Phthalates:***

Chemical Name	CAS No.	Chemical Name	CAS No.
Dibutyl phthalate (DBP)	84-74-2	Butyl benzyl phthalate (BBP)	85-68-7
Di-2-ethylhexyl phthalate (DEHP) / Diocyl phthalate (DOP)	117-81-7	Di-iso-butyl phthalate (DIBP)	84-69-5
Di-iso-nonyl phthalate (DINP)	28553-12-0/ 68515-48-0	Di-iso-decyl phthalate (DIDP)	26761-40-0/ 68515-49-1
Di-n-octyl phthalate (DNOP)	117-84-0	Di-n-hexyl phthalate (DNHP/ DHEXP)	84-75-3
Dicyclohexyl phthalate (DCHP)	84-61-7	Dipentyl phthalate (DPP / DPENP)	131-18-0

Method: The test is conducted according to the US CPSC Standard Operation Procedure for Determination of Phthalates, April 1, 2010 (CPSC-CH-C1001-09.3)

Note: % = percentage  
“<” = less than  
“>” = more than

**TEST RESULT:**
**Leachable Lead & Cadmium from Glassware and Ceramics – Lip & Rim**

Test Item	Unit	Internal Volume (ml)	Leaching Volume (ml)	Concentration relative to Internal Volume (mg/L)	
				Lead	Cadmium
A11	(1)	170	170	<0.1	<0.01
	(2)	170	170	<0.1	<0.01
	(3)	170	170	<0.1	<0.01
	(4)	170	170	<0.1	<0.01
	(5)	170	170	<0.1	<0.01
	(6)	170	170	<0.1	<0.01
Limit (Any 1 of 6 units)				4.0	0.4
Conclusion				PASS	
A12	(1)	150	150	<0.1	<0.01
	(2)	150	150	<0.1	<0.01
	(3)	150	150	<0.1	<0.01
	(4)	150	150	<0.1	<0.01
	(5)	150	150	<0.1	<0.01
	(6)	150	150	<0.1	<0.01
Limit (Any 1 of 6 units)				4.0	0.4
Conclusion				PASS	
A13	(1)	100	100	<0.1	<0.01
	(2)	100	100	<0.1	<0.01
	(3)	100	100	<0.1	<0.01
	(4)	100	100	<0.1	<0.01
	(5)	100	100	<0.1	<0.01
	(6)	100	100	<0.1	<0.01
Limit (Any 1 of 6 units)				4.0	0.4
Conclusion				PASS	
A14	(1)	100	100	<0.1	<0.01
	(2)	100	100	<0.1	<0.01
	(3)	100	100	<0.1	<0.01
	(4)	100	100	<0.1	<0.01
	(5)	100	100	<0.1	<0.01
	(6)	100	100	<0.1	<0.01
Limit (Any 1 of 6 units)				4.0	0.4
Conclusion				PASS	



Softlines &  
Hardlines

**POLYCONCEPT  
TEST REPORT**

Report Number: EFW525100254-CG-01

Test Item	Unit	Internal Volume (ml)	Leaching Volume (ml)	Concentration relative to Internal Volume (mg/L)	
				Lead	Cadmium
A15	(1)	100	100	<0.1	<0.01
	(2)	100	100	<0.1	<0.01
	(3)	100	100	<0.1	<0.01
	(4)	100	100	<0.1	<0.01
	(5)	100	100	<0.1	<0.01
	(6)	100	100	<0.1	<0.01
Limit (Any 1 of 6 units)				4.0	0.4
Conclusion				PASS	

Method: ASTM C927-80 (2019e1). The lead and cadmium contents are determined by Inductively Coupled Argon Plasma Spectrometer / Atomic Absorption Spectrophotometer / Inductively Coupled Plasma Mass Spectrometer.

Note: mL = milliliter

mg/L = milligrams per liter

< = less than

Report Number: EFW525100254-CG-01

**TEST RESULT:****Total Bisphenol A Content**

Test Item	Bisphenol A [CAS No. 80-05-7] (mg/kg)		Conclusion
	Result	Client's Requirement	
A1	ND	ND	PASS
A2	ND	ND	PASS
A3	ND	ND	PASS
A4	ND	ND	PASS
A5	ND	ND	PASS
A6	ND	ND	PASS

ND = Not detected (Laboratory Reporting Limit = 1mg/kg)

Method: Sample was extracted with organic solvent and then analyzed by Liquid Chromatograph Mass Spectrometer.

Note: mg/kg = milligram per kilogram

Report Number: EFW525100254-CG-01

**TEST RESULT:****Material in Contact with Food Articles [Olefin Polymers - Polypropylene Copolymer] – U.S. FDA 21 CFR 177.1520**

Extracting condition: n-Hexane Extractives (50°C, 2hr.), Xylene Extractives (reflux temperature, 2hr.)

Parameter	Unit	Result	Limit
		A5	
Density	g/cm <sup>3</sup>	0.907	0.85 - 1.00
n-Hexane Extractives	% w/w	0.3	≤5.5
Xylene Extractives	% w/w	1.4	≤30
<b>Conclusion</b>		PASS	-

Method: U.S. FDA 21 CFR 177.1520

Note: g/cm<sup>3</sup> = gram per cubic centimetre

% w/w = percent weight by weight

“&lt;” = less than

“≤” = less than or equal to

Report Number: EFW525100254-CG-01

**TEST RESULT:**
**Material in Contact with Food Articles [Closures with Sealing Gaskets for Food Containers] – U.S. FDA 21 CFR 177.1210**

Condition of use: C) Hot filled or pasteurized above 150°F

Extracting condition: Water (Fill boiling, cool to 100°F), Heptane (120°F, 15min.), 8% Alcohol (Fill boiling, cool to 100°F)

Parameter	Unit	Result		Limit
		A6	A7	
Chloroform - Soluble Extractives				
Distilled Water	ppm	<10	<10	≤50
n-Heptane	ppm	<10	<10	≤50
8 % Alcohol	ppm	<10	10	≤50
<b>Conclusion</b>		PASS	PASS	-

Method: U.S. FDA 21 CFR 177.1210

Remark: 1) Maximum extractives tolerances of different types of closure-sealing gasket composition:

Type of closure-sealing gasket composition	Maximum Extractives Tolerances (in ppm)		
	Chloroform fraction of water extractives	Chloroform fraction of heptane extractives	Chloroform fraction of alcohol extractives
1. Plasticized polymers, including unvulcanized or vulcanized or otherwise cured natural and synthetic rubber formed in place as overall discs or annular rings from a hot melt, solution, plastisol, organisol, mechanical dispersion, or latex	50	500	50
2. Performed overall discs or annular rings of plasticized polymers, including unvulcanized natural or synthetic rubber	50	250	50
3. Performed overall discs or annular rings of vulcanized plasticized polymers, including natural or synthetic rubber	50	50	50
4. Performed overall discs or annular rings of polymeric or resinous-coated paper, paperboard, plastic, or metal foil substrates	50	250	50
5. Closures with sealing gaskets or sealing compositions as described in 1,2,3 and 4, and including paper, paperboard, and glassine used for dry foods only	Not applicable	Not applicable	Not applicable

Note: ppm = part per million

&lt; = less than

≤ = less than or equal to



Softlines &  
Hardlines

**POLYCONCEPT  
TEST REPORT**

Report Number: EFW525100254-CG-01

**TEST RESULT:**

**FDA GRAS Specifications, Total Chromium in Stainless Steel Food Containers**

Test Item	Total Chromium (Cr) (%)		Conclusion
	Result	Limit	
A8	18.34	≥16	PASS

Method: Acid digestion, analysis by ICP-OES

Report Number: EFW525100254-CG-01

**TEST RESULT:**

Test Property	Method	Applicable Components	Limits	Notes	Result
19 CFR 134.11 Country of Origin Markings	Marking Review	All Finished Products	COO product marking must be present and permanent	Products Manufactured outside of USA	All styles: PASS

**Photo of Exhibit**

Report Number: EFW525100254-CG-01

Components 3



Components 4



Components 5



Report Number: EFW525100254-CG-01

+

Components 6



Components 7





Softlines &  
Hardlines

## POLYCONCEPT TEST REPORT

Report Number: EFW525100254-CG-01

\*\*\*\*\*End of Test Report\*\*\*\*\*

**NOTE:**

If there is question or concern regarding the above results, please contact us via email [coco.yu@cpt.eurofinscn.com](mailto:coco.yu@cpt.eurofinscn.com)

*This test report is governed by the Terms and Conditions, available on request or accessible at <https://www.eurofins.cn/consumer-product-testing/general-terms/>. Attention is especially drawn to the limitations of liability, indemnification and jurisdictional provisions defined therein. This report is issued strictly based on the testing of the samples submitted by you. The test results in this report refer only to the sample(s) actually tested and do not refer or be deemed to refer to any bulk production from which such sample(s) may be said to have been obtained. In the event that Eurofins MTS Consumer Product Testing (Shanghai) Co., Ltd. ("ERF") was requested to survey and test any bulk production quantity of samples, ERF, in the absence of any contrary written instructions, performed random sampling of bulk production for testing purposes. Variations in the conditions under which samples are stored, transported, etc., may lead to variations in the test results. ERF cannot anticipate and shall not be held responsible for variations in test results that may be due to factors beyond ERF's control, such as, sample cross-contamination, evaporation of volatile substances due to storage temperature, humidity, etc. This report does not constitute a recommendation, actual or implied, for any specific course of action. Other than the expressed warranties made in the Terms and Conditions of the ERF Test Request Form, ERF makes no warranties or representations either express or implied with respect to this report. In no circumstances whatsoever shall ERF be liable for any consequential, special or incidental damages arising out of, or in connection with, this report. This document shall not be reproduced except in full unless prior written authorization from ERF has been attained. Unless otherwise stated from the customer, regulation or the standard specification, Eurofins will apply it in accordance with ILAC G8:09/2019 (binary statement for simple acceptance rule) and shared risk decision rule. If you happen to have any complaints, please do it by sending email to [info.shmts@cpt.eurofinscn.com](mailto:info.shmts@cpt.eurofinscn.com) and referring to this report number.*