



## Test Report

No.: XMHL260600596801CW

Date: Jul 02, 2026

Page 1 of 5

XXXXXXXXXXXXXXXXXXXX CO LTD  
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX CHINA

Sample Descriptions : TREKK CRIB GLASS LUNCH BOX - BLACK/NAVY  
Style No.(s) : TK1072BK/TK1072NY  
Item No.(s) : TK1072BK/TK1072NY  
P.O./ Ref No.(s) : 23400  
Country of Origin : CHINA  
Country of Destination : AUSTRALIA  
Client reference information : BUYER: NOTTAGE INTERNATIONAL PTY LTD  
Supplier : XXXXXXXXXXXXXXXXXXXX CO LTD

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

\*\*\*\*\*

Sample Receiving Date : Jun 24, 2026  
Test Performing Date : Jun 24, 2026 to Jul 02, 2026  
Test Performed : Selected test(s) as requested by applicant  
Test Result(s) : For further details, please refer to the following page(s)

|   | Test Requirement                                                        | Conclusion |
|---|-------------------------------------------------------------------------|------------|
| 1 | US FDA CPG Sec.545.400 and CPG Sec 545.450 - Leachable Lead and Cadmium | Pass       |
| 2 | US FDA 21 CFR 177.1520 - Extractable fraction                           | Pass       |
| 3 | US FDA 21 CFR 177.1520 - Soluble fraction in Xylene                     | Pass       |
| 4 | US FDA 21 CFR 177.2600 - Total Extractives                              | Pass       |

Signed for and on behalf of  
SGS-CSTC Standards Technical Services Co., Ltd. Xiamen Branch

Terry Hong  
Authorized Signatory

Scan to see the report



XMHL260600596801CW  
Verification:  
check.sgsonline.com.cn



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com  
No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101  
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101  
(86-592) 5766488 www.sgsgroup.com.cn  
(86-592) 5766488 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

\*\*\* SGS Ref No.: CANHL26016990401\*\*\*

The below tests were conducted by SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch

**Test Result(s):**

**Test Part Description:**

| SN ID | Sample No. | SGS Sample ID           | Description        | Material (claimed by the client) |
|-------|------------|-------------------------|--------------------|----------------------------------|
| SN1   | A1         | CAN26-0169904-0001.C001 | Glass box          | Glass                            |
| SN2   | A2         | CAN26-0169904-0001.C002 | Navy plastic lid   | PP Co-polymer                    |
| SN3   | A3         | CAN26-0169904-0001.C003 | Navy silicone ring | Silicone                         |

**Remarks:**

- (1) mg/dm<sup>2</sup> = milligram per square decimeter  
mg/inch<sup>2</sup> = milligram per square inches  
μg/cm<sup>2</sup> = microgram per square centimeter  
mg/L = milligram per litre  
mg/kg = milligram per kilogram
- (2) °C = degree Celsius  
°F = degree Fahrenheit
- (3) < = less than
- (4) RL = Reporting Limit
- (5) ND = Not Detected (< RL).

**US FDA CPG Sec.545.400 and CPG Sec 545.450 - Leachable Lead and Cadmium**

**Test Method:** With reference to AOAC 973.32-1977(1996), analysis was performed by AAS/ICP-OES.

**A1 Small hollowware Pass**

|   | Extract volume (mL) | Depth (mm) |
|---|---------------------|------------|
| 1 | 1000                | 54         |
| 2 | 1000                | 54         |
| 3 | 1000                | 54         |
| 4 | 1000                | 54         |
| 5 | 1000                | 54         |
| 6 | 1000                | 54         |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101  
中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101

t (86-592) 5766488 www.sgs.com.cn  
t (86-592) 5766488 sgs.china@sgs.com

|       | Leachable Lead (µg/mL) | Leachable Cadmium (µg/mL) |
|-------|------------------------|---------------------------|
| 1     | <0.05                  | <0.01                     |
| 2     | <0.05                  | <0.01                     |
| 3     | <0.05                  | <0.01                     |
| 4     | <0.05                  | <0.01                     |
| 5     | <0.05                  | <0.01                     |
| 6     | <0.05                  | <0.01                     |
| Limit | 2.0                    | 0.5                       |

**Notes:**

Flatware - Articles which cannot be filled and articles which can be filled, the internal depth of which does not exceed 25 mm.

Small Hollowware - Articles which can be filled with the internal depth of which exceed 25 mm and capacity of less than 1.1 liter.

Large Hollowware - Articles which can be filled with the internal depth of which exceed 25 mm and capacity of 1.1 liter or more.

**US FDA 21 CFR 177.1520 - Extractable fraction**

**Test Method:** With reference to US FDA 21 CFR 177.1520(d)(3)(ii).

| Simulant used | Test Condition | Limit | Unit(s) | RL  | A2 | Comment |
|---------------|----------------|-------|---------|-----|----|---------|
| n-Hexane      | 50 °C, 2 hrs   | 5.5   | %(w/w)  | 0.5 | ND | Pass    |

**US FDA 21 CFR 177.1520 - Soluble fraction in Xylene**

**Test Method:** With reference to US FDA 21 CFR 177.1520(d)(4)(ii).

| Test Item(s)               | Limit | Unit(s) | RL  | A2          |
|----------------------------|-------|---------|-----|-------------|
| Soluble Fraction in Xylene | 30    | %(w/w)  | 0.5 | 6.4         |
| <b>Comment</b>             |       |         |     | <b>Pass</b> |



### US FDA 21 CFR 177.2600 - Total Extractives

**Test Method:** With reference to US FDA 21 CFR 177.2600.

| Simulant used                               | Test Condition                   | Limit | Unit(s)              | RL  | A3  | Comment |
|---------------------------------------------|----------------------------------|-------|----------------------|-----|-----|---------|
| n-Hexane                                    | Reflux<br>Temperature 7.0<br>hrs | 175   | mg/inch <sup>2</sup> | 0.5 | 4.4 | Pass    |
| n-Hexane<br>Succeeding<br>extraction        | Reflux<br>Temperature 2.0<br>hrs | 4     | mg/inch <sup>2</sup> | 0.5 | ND  | Pass    |
| Distilled water                             | Reflux<br>Temperature 7.0<br>hrs | 20    | mg/inch <sup>2</sup> | 0.5 | ND  | Pass    |
| Distilled water<br>Succeeding<br>extraction | Reflux<br>Temperature 2.0<br>hrs | 1     | mg/inch <sup>2</sup> | 0.5 | ND  | Pass    |

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.

### Sample Photo:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101  
 中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101

t (86-592) 5766488 [www.sgs.com.cn](http://www.sgs.com.cn)  
 t (86-592) 5766488 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



SGS authenticate the photo on original report only  
 \*\*\* End of Report \*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China 361101  
 中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编: 361101

t (86-592) 5766488 www.sgs.com.cn  
 t (86-592) 5766488 sgs.china@sgs.com